

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	5	370/400.ccls. and (wrap\$6 with (path route direction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:58
L4	79	370/400.ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:59
L5	0	370/400.ccls. and (wrong with way with rout\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:02
L6	10	370/400.ccls. and (rout\$4 near8 direction) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 (great\$4 more)) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 less) and ((rout\$5 switch\$4 process\$4) near6 algorith\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 12:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	53	(rout\$4 same axis\$4) and ("n/2" "N/2")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 10:56
S2	97	(rout\$4 same axis\$4) and ((3d (third near3 dimension) 3D) same rout\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 16:28
S3	31	(rout\$4 same axis\$4) and ((3d (third near3 dimension) 3D) same rout\$3) and (z near2 axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/21 16:14
S4	45	(rout\$4 same axis\$4) and ((3d (three near3 dimension\$4) 3D) same (routing router routed)) and (z near2 axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/21 16:19
S5	20	((3d ( (three third) near3 dimension\$4) 3D) near11 (process\$5 ) near11 array) and (packet\$4 ) and ((interconnect\$5 inter-connect\$5) near11 process\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 10:43
S6	167	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 10:57
S7	98	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 ( router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 13:31
S8	85	((((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch))) ((vlsi lsi ) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)))) and (((loop\$4 near2 back\$4) (wrap\$4 near3 around)) near11 (process\$4 router switch\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/22 15:18
S9	80	(linear near4 array) and ((routing near6 array) and (even and odd))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/23 16:38

S10	24	(routing near6 array) and ((even and odd) near11 (process\$4 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/23 17:17
S11	19	((rout\$4 near11 (opposit\$4 opposing) near11 (direction location))) and (routing near6 array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/23 17:01
S12	163	((connect\$6 coupl\$5) near11 (us\$4 unus\$4) near11 port\$4)) and (routing near6 array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 09:44
S13	22	((connect\$6 coupl\$5) near11 (us\$4 unus\$4) near11 port\$4)) and (routing near6 array) and (n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 09:51
S14	36	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and (n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 11:13
S15	102	(rout\$4 same axis\$4) and (n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 16:36
S16	29	(rout\$4 near8 direction) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 greater) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 less) and ((rout\$5 switch\$4 process\$4) near6 algorith\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 14:30
S17	5	(rout\$4 same axis\$4) and ((n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2) near8 (mov\$4 hop\$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/29 16:41
S18	42	((add\$3 attach\$6 insert\$7) near11 (bit byte) near11 direction near11 (negativ\$4 positiv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/30 13:10
S19	49	(rout\$4 near8 direction) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 (great\$4 more)) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 less) and ((rout\$5 switch\$4 process\$4) near6 algorith\$4) and (second same pass\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/30 17:35

S20	106	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6) same rout\$5) and (709/239 716/13 398/57 379/272 370/351-356 370/255 370/406 370/395.32). ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:24
S21	29	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and (mesh\$4 with network\$4) and axis and ((loop\$4 wrap\$5) near5 around)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 17:23
S22	3	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6) same (transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4 rout\$4)) and (mesh\$4 with network\$4) and axis and ((loop\$4 wrap\$5) near5 around) and rout\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/01 17:26
S23	3	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and rout\$4 and (z with direction) and (mesh\$4 with network\$4)	US-PGPUB	OR	ON	2005/04/25 14:13
S24	26	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and (add\$3 near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4 direction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/28 13:08
S25	103	(rout\$4 near8 direction) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 (great\$4 more)) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 less) and ((rout\$5 switch\$4 process\$4) near6 algorith\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/28 13:08
S26	41	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4 direction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/28 13:08
S27	4	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and (mesh\$4 with network\$4) and axis and ((loop\$4 wrap\$5) near5 around) and rout\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/28 13:09

S28	38	((3d ( (three third) near3 dimension\$4) 3D) near11 (process\$5 ) near11 array) and (packet\$4 ) and interconnect\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/28 13:09
S29	69	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6) same (transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4 rout\$4)) and (mesh\$4 with network\$4) and axis	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/28 13:09
S30	43	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and rout\$4 and (z with direction) and (mesh\$4 with network\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/28 13:09
S31	15	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same ( packet\$4 fram\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 14:45
S32	40	((((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same ( packet\$4 fram\$4))) not ((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4 direction packet\$4 )))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:15
S33	18	((((indirect\$4 opposit\$5) with (path\$4 channel\$4 rout\$4 line direct\$6 connection link\$4) same rout\$4)) and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same ( packet\$4 fram\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 14:43

S34	3	((route\$4 near3 direction) same (send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) same (greater)) and ((route\$4 near3 direction) same (send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) same less) and ((route\$5 switch\$4 process\$4) same algorithm\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 14:43
S35	36	((linear near4 array) and ((routing near6 array) and (even and odd))) and ((connect\$6 coupl\$5) near11 (us\$4 unus\$4) near11 port\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 14:45
S36	7	((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch))) not ((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 process\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 17:02
S37	55	((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same ( packet\$4 fram\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 14:45
S38	1628	"370"/\$.ccls. and (array with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 14:12
S39	523	(709/220,221,218,227-232, 239-245,250-253).ccls. and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 15:57
S40	226	(370/241,248-252,255,351,361). ccls. and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 14:22
S41	732	(709/220,221,218,227-232, 239-245,250-253 370/241, 248-252,255,351,361).ccls. and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 14:26
S42	800	(709/220,221,218,227-232, 239-245,250-253 370/241, 248-252,255,351,361).ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 14:26

S43	28	((709/220,221,218,227-232, 239-245,250-253 370/241, 248-252,255,351,361).ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))) and ((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6 transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4)) and ((loop\$4 wrap\$5) near5 around)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 15:28
S44	26	DIRECTION with ROUTING with MULTIPROCESS\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 15:29
S45	502	(712/10-16).ccls. and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 15:58
S46	28	(US-6326538-\$ or US-6407434-\$ or US-6275064-\$ or US-6446246-\$ or US-6052628-\$ or US-5612897-\$ or US-5544017-\$ or US-5937202-\$ or US-5875190-\$ or US-5710938-\$ or US-5452468-\$ or US-6282583-\$ or US-6094715-\$ or US-5689689-\$ or US-5377182-\$ or US-4975909-\$ or US-5754792-\$ or US-5170482-\$ or US-6449667-\$ or US-5898857-\$ or US-6055618-\$ or US-5826033-\$ or US-6606656-\$ or US-6069720-\$ or US-6598145-\$ or US-5079764-\$).did. or (US-5175733-\$ or US-5737628-\$). did.	USPAT	OR	OFF	2004/06/27 16:47
S47	1	"5689661".pn. and wrap\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 14:41
S48	3	370/380.ccls. and ((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and rout\$4 and (mesh\$4 with network\$4)	US-PGPUB	OR	ON	2005/04/25 14:13

S49	0	370/380.ccls. and (((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch))) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same ( packet\$4 fram\$4))) not ((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4 direction packet\$4 )))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:15
S50	29	((709/220,221,218,227-232, 239-245,250-253 370/241, 248-252,255,351,361).ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))) and ((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6 transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4)) and ((loop\$4 wrap\$5) near5 around)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:32
S51	1	(370/380.ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))) and ((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6 transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4)) and ((loop\$4 wrap\$5) near5 around)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:19
S52	5	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6) same rout\$5) and 370/380.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:40
S53	0	370/380.ccls. and (wrap\$6 with (path route direction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:41
S54	0	((709/220,221,218,227-232, 239-245,250-253 370/241, 248-252,255,351,361,380).ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))) and ((loop\$4 wrap\$5) with (path rout\$4 around)) and (wrong with way with rout\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:33



S55	0	(709/220,221,218,227-232, 239-245,250-253 370/241, 248-252,255,351,361,380).ccls. and (wrong with way with rout\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:33
S56	25	(wrong with way with rout\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:33
S57	87	bops\$6.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59
S58	2	"5737628".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59